

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 01/15/2014 Revision date: 03/13/2019 Supersedes: 12/12/2017

SECTION 1: Identification

1.1. Identification

Product form : Substance

Substance name : Methyl Orange, Sodium Salt, ACS

CAS-No. : 547-58-0 Product code : 1.1270

Formula : C14H14N3NaO3S

Synonyms : 4-dimethylaminoazobenzene-4'-sulfonic acid sodium salt / acid orange 52 / beta-helianthin /

dimethylaniline orange / eniamethyl orange / gold orange / methyl orange B / methyl orange, sodium salt / orange 3 / p-((dimethylamino)phenyl)azo)benzene sulfonic acid sodium salt / porrier's orange III / p-sulfobenzene

Version: 1.4

dimethylaminophenylazo)benzenesulfonate / tropaeoline D

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Laboratory chemical

Textile: dyestuff

Dyestuff

Recommended use : Laboratory chemicals

Restrictions on use : Not for food, drug or household use

1.3. Supplier

NEUTRON PHARMACHEMICAL CO

98, 9th Floor, Borjsaz Building, Azadi Ave, Tehran, Iran.

T 021-66906732-3 - F 021-66581408 info@neutronpharmachemical.com www.neutronpharmachemical.com

1.4. Emergency telephone number

Emergency number : CHEMTREC: 125

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Acute toxicity (oral) H301 Toxic if swallowed

Category 3

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US) :



GHS06

Signal word (GHS US) : Danger

Hazard statements (GHS US) : H301 - Toxic if swallowed

Precautionary statements (GHS US) : P264 - Wash exposed skin thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P405 - Store locked up.

P501 - Dispose of contents/container to comply with local, state and federal regulations

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

2.3. Other hazards which do not result in classification

Other hazards not contributing to the : Combustible Dust.

classification

Unknown acute toxicity (GHS US)

Not applicable

03/13/2019 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/Information on ingredients

Substances

Substance type : Mono-constituent

Name	Product identifier	%	GHS-US classification
Methyl Orange, Sodium Salt, ACS (Main constituent)	(CAS-No.) 547-58-0	100	Acute Tox. 3 (Oral), H301

Full text of hazard classes and H-statements : see section 16

3.2. **Mixtures**

Not applicable

SECTION 4: First-aid measures

Description of first aid measures

First-aid measures general

: Check the vital functions. Unconscious: maintain adequate airway and respiration. Respiratory arrest: artificial respiration or oxygen. Cardiac arrest: perform resuscitation. Victim conscious with labored breathing: half-seated. Victim in shock: on his back with legs slightly raised. Vomiting: prevent asphyxia/aspiration pneumonia. Prevent cooling by covering the victim (no warming up). Keep watching the victim. Give psychological aid. Keep the victim calm, avoid physical strain. Depending on the victim's condition: doctor/hospital.

First-aid measures after inhalation

Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service.

First-aid measures after skin contact

Rinse with water. Soap may be used. Do not apply (chemical) neutralizing agents. Take victim

to a doctor if irritation persists.

First-aid measures after eye contact

: Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. Do not

apply neutralizing agents. Take victim to an ophthalmologist if irritation persists.

First-aid measures after ingestion

Rinse mouth with water. Give nothing to drink. Victim is fully conscious: immediately induce vomiting. Immediately consult a doctor/medical service. Call Poison Information Centre

(www.big.be/antigif.htm). Ingestion of large quantities: immediately to hospital.

Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation

: AFTER INHALATION OF DUST: Coughing.

Symptoms/effects after skin contact

May stain the skin. Slight irritation.

Symptoms/effects after eye contact

: Slight irritation.

Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media

: Quick-acting ABC powder extinguisher. Class A foam extinguisher. Water (quick-acting

extinguisher, reel). Water. Class A foam.

Unsuitable extinguishing media : Quick-acting BC powder extinguisher. Quick-acting CO2 extinguisher.

Specific hazards arising from the chemical

Fire hazard

: DIRECT FIRE HAZARD. Non-flammable. In finely divided state: increased fire hazard.

INDIRECT FIRE HAZARD. Heating increases the fire hazard.

Explosion hazard

DIRECT EXPLOSION HAZARD. Fine dust is explosive with air. INDIRECT EXPLOSION

HAZARD. Dust cloud can be ignited by a spark.

Special protective equipment and precautions for fire-fighters

Precautionary measures fire

: Exposure to fire/heat: keep upwind. Exposure to fire/heat: consider evacuation. Exposure to

fire/heat: have neighbourhood close doors and windows.

Firefighting instructions

Dilute toxic gases with water spray. Take account of toxic fire-fighting water. Use water

moderately and if possible collect or contain it.

Protection during firefighting : Heat/fire exposure: compressed air/oxygen apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment

: Gloves. Protective clothing. Dust cloud production: compressed air/oxygen apparatus.

Emergency procedures

: Mark the danger area. Prevent dust cloud formation. No naked flames. Wash contaminated

clothes.

03/13/2019 EN (English US) 2/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Measures in case of dust release

In case of dust production: keep upwind. Dust production: have neighbourhood close doors and windows. In case of dust production: stop engines and no smoking. In case of dust production: no naked flames or sparks. Dust: spark-/explosionproof appliances/lighting equipment.

For emergency responders

Protective equipment : Do not breathe dust. Equip cleanup crew with proper protection.

Emergency procedures Stop release. Ventilate area.

Environmental precautions

Prevent soil and water pollution. Prevent spreading in sewers.

Methods and material for containment and cleaning up

For containment

: Contain released substance, pump into suitable containers. Plug the leak, cut off the supply. Dam up the solid spill. Knock down/dilute dust cloud with water spray. Take account of toxic/corrosive precipitation water. Powdered form: no compressed air for pumping over spills.

Methods for cleaning up

Stop dust cloud by covering with sand/earth. Scoop solid spill into closing containers. Carefully collect the spill/leftovers. Powdered: do not use compressed air for pumping over spills. Clean contaminated surfaces with an excess of water. Take collected spill to manufacturer/competent authority. Wash clothing and equipment after handling.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

Precautions for safe handling 7.1.

Additional hazards when processed

Precautions for safe handling

: Pulverization rapidly increases toxic concentration.

Avoid raising dust. Keep away from naked flames/heat. In finely divided state: use spark-/explosionproof appliances. Finely divided: keep away from ignition sources/sparks. Carry operations in the open/under local exhaust/ventilation or with respiratory protection. Comply with the legal requirements. Clean contaminated clothing. Do not discharge the waste into the drain. Powdered form: no compressed air for pumping over. Keep container tightly closed.

Hygiene measures

: Observe strict hygiene. Conditions for safe storage, including any incompatibilities

Storage temperature

: 5 - 30 °C

Heat-ignition

: KEEP SUBSTANCE AWAY FROM: heat sources. ignition sources.

Prohibitions on mixed storage

: KEEP SUBSTANCE AWAY FROM: oxidizing agents.

Storage area

Store in a dry area. Keep container in a well-ventilated place. Keep locked up. Unauthorized

persons are not admitted. Meet the legal requirements.

Special rules on packaging

SPECIAL REQUIREMENTS: closing. correctly labelled. meet the legal requirements. Secure

fragile packagings in solid containers.

SECTION 8: Exposure controls/personal protection

Control parameters

No additional information available

Appropriate engineering controls

Appropriate engineering controls

: Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Gloves. Safety glasses. Dust production: dust mask with filter type P3.







Materials for protective clothing:

GIVE GOOD RESISTANCE: neoprene. nitrile rubber

03/13/2019 EN (English US) 3/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hand protection:

Gloves

Eye protection:

Safety glasses. In case of dust production: protective goggles

Skin and body protection:

Protective clothing

Respiratory protection:

Dust production: dust mask with filter type P3

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Crystalline solid. Powder. Scales.

Orange-yellow

: Odorless

Odor threshold : No data available

pH : 6.5 (0.5 %) Melting point : $> 300 \, ^{\circ}\text{C}$

Freezing point : No data available
Boiling point : No data available
Flash point : No data available
Relative evaporation rate (butyl acetate=1) : No data available
Flammability (solid, gas) : No data available
Vapor pressure : < 0.1 hPa (20 °C)
Relative vapor density at 20 °C : Not applicable

Relative density : 1

Specific gravity / density : 1000 kg/m³
Molecular mass : 327.34 g/mol
Solubility : Insoluble in water.

Water: 0.02 g/100ml (25 °C)

Ethanol: 0.1 g/100ml

Log Pow : -0.66 (Estimated value)

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosion limits : No data available
Explosive properties : No data available
Oxidizing properties : No data available

9.2. Other information

VOC content : 0 %

Other properties : Basic reaction.

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

03/13/2019 EN (English US) 4/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Likely routes of exposure : Inhalation; Skin and eye contact

Acute toxicity : Not classified

Acute toxicity	. Not diagonica
Methyl Orange, Sodium Salt, ACS (547-58-0	
LD50 oral rat	60 mg/kg (Rat, Oral)
ATE US (oral)	60 mg/kg body weight
Skin corrosion/irritation	: Not classified
	pH: 6.5 (0.5 %)
Serious eye damage/irritation	: Not classified
	pH: 6.5 (0.5 %)
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: Not classified
Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Toxic if swallowed. Slightly irritant to skin. Slightly irritant to eyes.

Symptoms/effects after inhalation : AFTER INHALATION OF DUST: Coughing.

Symptoms/effects after skin contact : May stain the skin. Slight irritation.

Symptoms/effects after eye contact : Slight irritation.

SECTION 12: Ecological information

12.	1.	To	χi	ci	tν
			/A I	v.	٠,

Ecology - general : Not classified as dangerous for the environment according to the criteria of Regulation (EC) No

1272/2008.

Ecology - air : Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009).

Ecology - water : Severe water pollutant (surface water). No data available on ecotoxicity.

12.2. Persistence and degradability

Methyl Orange, Sodium Salt, ACS (547-58-0)	
Persistence and degradability	Non degradable in the soil. Not readily biodegradable in water.

12.3. Bioaccumulative potential

Methyl Orange, Sodium Salt, ACS (547-58-0)	
Log Pow	-0.66 (Estimated value)
Bioaccumulative potential	Not bioaccumulative.

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

03/13/2019 EN (English US) 5/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste disposal recommendations

: Do not discharge into drains or the environment. Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber with energy recovery. Dissolve or mix with a combustible solvent.

Additional information : Hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No

1357/2014 and Regulation (EU) No 2017/997.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Transport document description : UN2811 Toxic solids, organic, n.o.s., 6.1, III

UN-No.(DOT) : UN2811

Proper Shipping Name (DOT) : Toxic solids, organic, n.o.s.

Transport hazard class(es) (DOT) : 6.1 - Class 6.1 - Poisonous materials 49 CFR 173.132

Packing group (DOT) : III - Minor Danger Hazard labels (DOT) : 6.1 - Poison



DOT Packaging Non Bulk (49 CFR 173.xxx) : 213 DOT Packaging Bulk (49 CFR 173.xxx) : 240

DOT Symbols : G - Identifies PSN requiring a technical name

DOT Special Provisions (49 CFR 172.102) : IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid

plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2).

IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner.

T1 - 1.5 178.274(d)(2) Normal...... 178.275(d)(2)

TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.

DOT Packaging Exceptions (49 CFR 173.xxx) : 153
DOT Quantity Limitations Passenger aircraft/rail : 100 kg
(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 200 kg

CFR 175.75)

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

Other information : No supplementary information available.

Transportation of Dangerous Goods

Transport document description : UN2811 TOXIC SOLID, ORGANIC, N.O.S. (Methyl orange, sodium salt), 6.1, II

UN-No. (TDG) : UN2811

03/13/2019 EN (English US) 6/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Proper Shipping Name (Transportation of

Dangerous Goods)

: TOXIC SOLID, ORGANIC, N.O.S.

TDG Primary Hazard Classes : 6.1 - Class 6.1 - Toxic Substances

Packing group : II - Medium Danger

TDG Special Provisions : 16 - (1) The technical name of at least one of the most dangerous substances that

predominantly contributes to the hazard or hazards posed by the dangerous goods must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(ii)(A) of Part 3 (Documentation). The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3) of Part 4 (Dangerous Goods Safety Marks). (2) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the disclosure of the technical name: (a)UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S.; (b)UN1851, MEDICINE, LIQUID, TOXIC, N.O.S; (c)UN3140, ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S; (d)UN3248, MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S; or (e)UN3249, MEDICINE, SOLID, TOXIC, N.O.S. An example in Canada is the "Food and Drugs Act". (3) Despite subsection (1), the technical name

for the following dangerous goods is not required to be shown on a small means of

containment: (a)UN2814, INFECTIOUS SUBSTANCE, AFFECTING HUMANS; or (b)UN2900,

INFECTIOUS SUBSTANCE, AFFECTING ANIMALS. SOR/2014-306

Explosive Limit and Limited Quantity Index : 0.5 kg
Passenger Carrying Road Vehicle or Passenger : 25 kg

Carrying Railway Vehicle Index

Transport by sea

Transport document description (IMDG) : UN 2811 TOXIC SOLID, ORGANIC, N.O.S. (Methyl orange, sodium salt), 6.1, II

UN-No. (IMDG) : 2811

Proper Shipping Name (IMDG) : TOXIC SOLID, ORGANIC, N.O.S.

Class (IMDG) : 6.1 - Toxic substances

Packing group (IMDG) : II - substances presenting medium danger

EmS-No. (1) : F-A EmS-No. (2) : S-A

Air transport

Transport document description (IATA) : UN 2811 Toxic solid, organic, n.o.s. (Methyl orange, sodium salt), 6.1, II

UN-No. (IATA) : 281

Proper Shipping Name (IATA) : Toxic solid, organic, n.o.s.

Class (IATA) : 6.1 - Toxic Substances

Packing group (IATA) : II - Medium Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

Methyl Orange, Sodium Salt, ACS (547-58-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

SARA Section 311/312 Hazard Classes Health hazard - Acute toxicity (any route of exposure)

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations

CANADA

Methyl Orange, Sodium Salt, ACS (547-58-0)

Listed on the Canadian DSL (Domestic Substances List)
Not listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

03/13/2019 EN (English US) 7/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

Revision date	: 03/13/2019
Full text of H-phrases: see section 16:	
H301	Toxic if swallowed
NFPA health hazard	: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
NFPA fire hazard	: 1 - Materials that must be preheated before ignition can occur.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.
Hazard Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
Personal protection	: E
	E - Safety glasses, Gloves, Dust respirator

SDS US LabChem

Information in this SDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and LabChem Inc assumes no liability resulting from the use of this SDS. The user must determine suitability of this information for his application.

03/13/2019 EN (English US) 8/8