

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 12/28/2023 Revision date: 12/28/2023 Supersedes version of: 5/24/2019 Version: 1.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

 Product form
 : Substance

 Trade name
 : BENZENE GC

 EC Index-No.
 : 601-020-00-8

 EC-No.
 : 200-753-7

 CAS-No.
 : 71-43-2

 Product code
 : 1.4590

Type of product : Hydrocarbons, aromatic

Formula : C6H6

Chemical structure



Synonyms : Benzol, Cyclohexa-1,3,5-triene, 1,3,5-Cyclohexatriene

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only
: Laboratory chemicals

Manufacture of substances

Solvents

### 1.2.2. Uses advised against

Use of the substance/mixture

No additional information available

### 1.3. Details of the supplier of the safety data sheet

### NEUTRON PHARMACHEMICAL CO

11, 3th Floor, Borjsaz Building, Azadi Ave, Tehran, Iran. T-021-66906732
F-021-66581408
www.neutronco.com
info@neutronco.com

### 1.4. Emergency telephone number

Emergency number : 125

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2 H225
Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 2 H319
Germ cell mutagenicity, Category 1B H340
Carcinogenicity, Category 1A H350
Specific target organ toxicity – Repeated exposure, Category 1 H372
Aspiration hazard, Category 1 H304

Full text of H- and EUH-statements: see section 16

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Adverse physicochemical, human health and environmental effects

Highly flammable liquid and vapour. May cause cancer. May cause genetic defects. Causes damage to organs through prolonged or repeated exposure. Causes skin irritation. Causes serious eye irritation. May be fatal if swallowed and enters airways.

#### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS02

S02 GHS07

H350 - May cause cancer.

GHS08

Signal word (CLP) : Danger

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour.

H304 - May be fatal if swallowed and enters airways.

H315 - Causes skin irritation. H319 - Causes serious eye irritation. H340 - May cause genetic defects.

H372 - Causes damage to organs through prolonged or repeated exposure.

Precautionary statements (CLP) : P201 - Obtain special instructions before use.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water .

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P331 - Do NOT induce vomiting.

#### **Nordic countries regulation**

Denmark

MAL code : 00-6 (Executive Order No. 301 from 1993)

### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

# **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Substance type : Mono-constituent

Name	Product identifier	%
BENZENE	CAS-No.: 71-43-2 EC-No.: 200-753-7 EC Index-No.: 601-020-00-8	100

### 3.2. Mixtures

Not applicable

### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek

medical advice.

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after skin contact : If skin irritation occurs: Get medical advice/attention. Rinse skin with water/shower. Take off

immediately all contaminated clothing.

First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists:

Get medical advice/attention. Rinse cautiously with water for several minutes.

First-aid measures after ingestion : Rinse mouth out with water. If you feel unwell, seek medical advice. Do not induce vomiting.

Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : May be fatal if swallowed and enters airways. May cause genetic defects. May cause

cancer. Causes damage to organs through prolonged or repeated exposure.

Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this

material is expected to be an inhalation hazard.

Symptoms/effects after skin contact : Causes skin irritation. Irritation.

Symptoms/effects after eye contact : Causes serious eye irritation. Eye irritation.

Symptoms/effects after ingestion : Risk of lung oedema.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2). Water spray. Dry

powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.

Explosion hazard : Heating may cause a fire or explosion.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Advice for firefighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.

Absorb spillage to prevent material damage.

### 6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Avoid contact with skin, eyes and clothing. No open flames, no sparks, and no smoking.

Only qualified personnel equipped with suitable protective equipment may intervene. Do not

breathe dust/fume/gas/mist/vapours/spray.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Use personal protective

equipment as required. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

### 6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

12/28/2023 (Revision date) EN (English) 3/13

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 6.3. Methods and material for containment and cleaning up

: Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to For containment prevent migration and entry into sewers or streams. Stop leak without risks if possible.

Take up liquid spill into absorbent material. Clean contaminated surfaces with an excess of Methods for cleaning up

water. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed Precautions for safe handling

- : Not expected to present a significant hazard under anticipated conditions of normal use.
- Ensure good ventilation of the work station. Avoid contact with skin and eyes. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Floors, walls and other surfaces in the hazard area must be cleaned regularly.

Do not breathe dust/fume/gas/mist/vapours/spray.

Hygiene measures Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse. Do not eat, drink or smoke when

using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated

place. Keep cool. Keep container tightly closed. Store locked up.

Packaging materials Store always product in container of same material as original container.

### 7.3. Specific end use(s)

No additional information available

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### 8.1.1 National occupational exposure and biological limit values

No additional information available

#### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

12/28/2023 (Revision date) EN (English) 4/13

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Wear recommended personal protective equipment.

### Personal protective equipment symbol(s):







#### 8.2.2.1. Eye and face protection

### Eye protection:

Chemical goggles or safety glasses

#### 8.2.2.2. Skin protection

### Skin and body protection:

Wear a mask

### Hand protection:

Protective gloves

### 8.2.2.3. Respiratory protection

#### Respiratory protection:

Wear appropriate mask. [In case of inadequate ventilation] wear respiratory protection.

### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

### Environmental exposure controls:

Avoid release to the environment.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Colourless.
Appearance : Clear liquid.
Molecular mass : 78.11 g/mol

Odour : sweet aromatic odour.

Flammability : Highly flammable liquid and vapour.

Lower explosion limit: 1.2 vol %Upper explosion limit: 7.8 vol %Flash point: -11 °CAuto-ignition temperature: 498 °CDecomposition temperature: Not availablepH: Not availableViscosity, kinematic: 0.687 mm²/s

Viscosity, dynamic : 0.604 mPa·s at 25°C

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Solubility : Water: 0.18 g/100ml at 25°C

Ether: Miscible Acetone: Miscible

Partition coefficient n-octanol/water (Log Kow) : Not available
Vapour pressure : 99.5 hPa at 20°C
Vapour pressure at 50°C : Not available
Density : 0.879 g/cm³ at 20°C

Relative density : Not available
Relative vapour density at 20°C : 2.8 (Air =1)
Particle characteristics : Not applicable

#### 9.2. Other information

### 9.2.1. Information with regard to physical hazard classes

No additional information available

### 9.2.2. Other safety characteristics

Refractive index : 1.5011 at 20 °C

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Highly flammable liquid and vapour.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Air contact. Direct sunlight. Heat. High temperature. Open flame. Overheating. Avoid contact with hot surfaces. No flames, no sparks. Eliminate all sources of ignition.

# 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified
Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : May cause genetic defects. Carcinogenicity : May cause cancer.

Reproductive toxicity : Not classified STOT-single exposure : Not classified

STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard : May be fatal if swallowed and enters airways.

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

BENZENE GC (71-43-2)	
Viscosity, kinematic	0.687 mm²/s

### 11.2. Information on other hazards

No additional information available

## **SECTION 12: Ecological information**

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term

(acute)

Hazardous to the aquatic environment, long–term

(chronic)

: Not classified: Not classified

#### 12.2. Persistence and degradability

### **BENZENE GC (71-43-2)**

Persistence and degradability Rapidly degradable

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations : Disposal must be done according to official regulations. Product/Packaging disposal recommendations : Disposal must be done according to official regulations.

Additional information : Flammable vapours may accumulate in the container. Do not re-use empty containers.

### **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

### 14.1. UN number or ID number

 UN-No. (ADR)
 : UN 1114

 UN-No. (IMDG)
 : UN 1114

 UN-No. (IATA)
 : UN 1114

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

UN-No. (ADN) : UN 1114 UN-No. (RID) : UN 1114

# 14.2. UN proper shipping name

Proper Shipping Name (ADR) : BENZENE
Proper Shipping Name (IMDG) : BENZENE
Proper Shipping Name (IATA) : Benzene
Proper Shipping Name (ADN) : BENZENE
Proper Shipping Name (RID) : BENZENE

Transport document description (ADR) : UN 1114 BENZENE, 3, II, (D/E)
Transport document description (IMDG) : UN 1114 BENZENE, 3, II (-11°C c.c.)

Transport document description (IATA) : UN 1114 Benzene, 3, II
Transport document description (ADN) : UN 1114 BENZENE, 3, II
Transport document description (RID) : UN 1114 BENZENE, 3, II

### 14.3. Transport hazard class(es)

### **ADR**

Transport hazard class(es) (ADR) : 3
Danger labels (ADR) : 3



#### **IMDG**

Transport hazard class(es) (IMDG) : 3
Danger labels (IMDG) : 3



#### **IATA**

Transport hazard class(es) (IATA) : 3
Danger labels (IATA) : 3



#### ADN

Transport hazard class(es) (ADN) : 3
Danger labels (ADN) : 3



# RID

Transport hazard class(es) (RID) : 3
Danger labels (RID) : 3



### 14.4. Packing group

Packing group (ADR) : II

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

### 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

### 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : F1
Limited quantities (ADR) : 11
Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1

(ADR)

Tank code (ADR) : LGBF
Vehicle for tank carriage : FL
Transport category (ADR) : 2
Special provisions for carriage - Operation (ADR) : S2, S20

Hazard identification number (Kemler No.) : 33

33 1114

Tunnel restriction code (ADR) : D/E
EAC code : 3WE
APP code : A(fl)

### Transport by sea

Orange plates

Limited quantities (IMDG) · 11 Excepted quantities (IMDG) : E2 Packing instructions (IMDG) : P001 IBC packing instructions (IMDG) IBC02 Tank instructions (IMDG) T4 Tank special provisions (IMDG) TP1 EmS-No. (Fire) F-E EmS-No. (Spillage) : S-D Stowage category (IMDG) В Stowage and handling (IMDG) : SW2 Flash point (IMDG) -11°C c.c.

Properties and observations (IMDG) : Colourless liquid with a characteristic odour. Flashpoint: -11°C c.c. Explosive limits: 1.4% to

8% Freezing point 5°C, flashes below its freezing point. Immiscible with water. Narcotic. Exposure to this substance may produce serious chronic effects of a toxic nature.

### Air transport

PCA Excepted quantities (IATA) : E2 PCA Limited quantities (IATA) : Y341 PCA limited quantity max net quantity (IATA) : 1L PCA packing instructions (IATA) : 353 PCA max net quantity (IATA) : 5L CAO packing instructions (IATA) : 364 CAO max net quantity (IATA) : 60L ERG code (IATA) : 3H

#### **Inland waterway transport**

Classification code (ADN) : F1 Limited quantities (ADN) : 1 L

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Excepted quantities (ADN) : E2

Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EX, A

Ventilation (ADN) : VE01

Number of blue cones/lights (ADN) : 1

#### Rail transport

Classification code (RID) : F1
Limited quantities (RID) : 1L
Excepted quantities (RID) : E2

Packing instructions (RID) : P001, IBC02, R001

Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1

(RID)

Tank codes for RID tanks (RID) : LGBF
Transport category (RID) : 2
Colis express (express parcels) (RID) : CE7
Hazard identification number (RID) : 33

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)	
Reference code	Applicable on
5.	BENZENE GC
28.	BENZENE GC
29.	BENZENE GC
3(a)	BENZENE GC
3(b)	BENZENE GC
40.	BENZENE GC
72.	BENZENE GC

### **REACH Annex XIV (Authorisation List)**

Not listed on REACH Annex XIV (Authorisation List)

### **REACH Candidate List (SVHC)**

Not listed on the REACH Candidate List

### **PIC Regulation (Prior Informed Consent)**

Listed on the PIC list (Regulation EU 649/2012): Benzene

### **POP Regulation (Persistent Organic Pollutants)**

Not listed on the POP list (Regulation EU 2019/1021)

### Ozone Regulation (1005/2009)

Not listed on the Ozone Depletion list (Regulation EU 1005/2009)

# Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### 15.1.2. National regulations

#### France

Occupational diseases	
Code	Description
RG 4	Hematopathies caused by benzene and all products containing it
RG 4 BIS	Gastrointestinal disorders caused by benzene, toluene, xylenes and all products containing them
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

#### Germany

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV; ID No. 29).

Chemicals Prohibition Ordinance (ChemVerbotsV) : This product is subject to ChemVerbotsV Annex 2 Entry 1. The following requirements must

be observed: authorization requirement (according to § 6 paragraph 1 sentence 1), basic requirements for carrying out the delivery (according to § 8 paragraph 1, 3 and 4), identification and documentation (according to § 9 paragraph 1 to 3) and exclusion of the

shipping route (according to § 10).

Hazardous Incident Ordinance (12. BlmSchV) : Is not subject of the Hazardous Incident Ordinance (12. BlmSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : BENZENE is listed SZW-lijst van mutagene stoffen : BENZENE is listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : The substance is not listed

SZW-lijst van reprotoxische stoffen – : The substance is not listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : The substance is not listed

Denmark

MAL code : 00-6 (Executive Order No. 301 from 1993)

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### **SECTION 16: Other information**

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acre	Abbreviations and acronyms:	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Full text of H- and EUH-statements:	
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 1A	Carcinogenicity, Category 1A
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H319	Causes serious eye irritation.
H340	May cause genetic defects.
H350	May cause cancer.
H372	Causes damage to organs through prolonged or repeated exposure.
Muta. 1B	Germ cell mutagenicity, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.